

# Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

<b>Establishment Name</b> KINGFISH	<b>Telephone Number</b>  Est  Own	<b>Date of Inspection</b>  10/23/2021	<b>ID#</b>
<b>Address</b> 601 W RIVERSIDE DR, JEFFERSONVILLE IN 47130			
<b>Owner</b> REBECCA BROWN	<b>Purpose</b> <input checked="" type="checkbox"/> <b>Routine</b> <input type="checkbox"/> <b>Follow-up</b> <input type="checkbox"/> <b>Complaint</b> <input type="checkbox"/> <b>Pre-Operational</b> <input type="checkbox"/> <b>Temporary</b> <input type="checkbox"/> <b>HACCP</b> <input type="checkbox"/> <b>Other (list)</b>	<b>Follow Up</b>	<b>Released</b> 11/02/2021
<b>Owner's Address</b> 601 RIVERSIDE DR JEFFERSONVILLE, IN 47130		<b>Menu Type</b> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
<b>Person in Charge</b> PAM MONROE			
<b>Responsible Person's Email</b>			
<b>Certified Food Handler</b> RAY PHILLIPS			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
188	X			Observed beer cheese being reheated in a crock pot. Crock pot does not allow for rapid reheating. PIC used microwave to rapidly reheat the beer cheese up to hot holding temp, 135F.	CORRECTED

**Summary of Violations**      C     1        NC     0        R     0  

Received by (name and title printed):

PAM MONROE

Inspected by (name and title printed):

Christa Manus EHS

Received by (signature):

Inspected by (signature):

*Christa Manus*

cc:

cc:

cc: